



**CATEGORY DEFINITION**


Paper sheets and rolls are engineered for optimum performance when sanding metal, wood, composites and painted surfaces. The sheets are packed in protective packaging to eliminate waste and permit easy, neat storage.

- CATEGORIES:** Stearated (non-loading) Ceramic Alumina, Aluminum Oxide and Silicon Carbide  
Waterproof Aluminum Oxide and Silicon Carbide  
All Purpose Aluminum Oxide and Garnet  
Heavyweight Zirconia Alumina
- APPLICATIONS:** Light-duty metal sanding, primer sanding, defect removal from painted surfaces, filler sanding, sanding and finishing of composites and fiberglass, bare wood sanding, sanding between sealer coats
- SIZE RANGE:** Full Sheets, Cut Sheets, File Strips and Rolls
- GRIT RANGE:** 36 – 2500
- ABRASIVE GRAIN:** Ceramic Alumina, Zirconia Alumina, Aluminum Oxide, Silicon Carbide


**MATERIAL-TO-PRODUCT RECOMMENDATION GUIDE**

	<b>BEST</b> HIGHEST PRODUCTIVITY LOWEST TOTAL COST	<b>BETTER</b> EXCELLENT BLEND OF PERFORMANCE & PRICE	<b>GOOD</b> CONSISTENT PERFORMANCE LOW INITIAL PRICE
<b>Unfinished Metal</b>	A275	–	A251
<b>Primed / Painted Surfaces / Between Coats</b>	A275	A475	A251
<b>Fiberglass / Composites</b>	A275	A475	A251
<b>Bare Wood</b>	A275	–	A511, A513, A514
<b>Clear Coat Sanding</b>	T214, T401	–	T461
<b>Sealer Sanding</b>	A275	A475	A251
<b>Lacquer Sanding</b>	T214, T401	T414	T461
<b>Wet Sanding</b>	T214, T401	T414	T461
<b>Paint Stripping</b>	A259 (3X)	A475	A290
<b>All Purpose Dry Sanding</b>	A259 (3X)	–	A212, A213, A211

**APPLICATION/GRIT RECOMMENDATION GUIDE**



**RECOMMENDED BACKING WEIGHT**





CROSS REFERENCE GUIDE

<b>NORTON</b>	<b>3M</b>	<b>Hermes</b>	<b>Klingspor</b>	<b>Mirka</b>	<b>SIA</b>	<b>VSM</b>
<b>STEARATED</b>						
<b>A975</b>	734U, 735U, 765L, 334U	-	-	-	1950 siaspeed	-
<b>A275 / A259 (3X)</b>	216U, 334U	HC133	PS33	Royal, Royal Micro	1950 siaspeed	-
<b>A475</b>	405N, 414N, 415N/U	PSF-LL, SA168	PL35	Carat Flex, FineFlex	1701 sialac 1748 siarexx fine	CP131A
<b>A290</b>	236U	HCAB-LL	PS33, PL36	Bulldog Gold	1960 siarexx cut	KP911
<b>A251</b>	316U, 214U	-	PL36	GoldFlex	-	-
<b>WATERPROOF</b>						
<b>T214</b>	213Q	WAFlex28B	PS12	-	1913 siawat	-
<b>T401</b>	401Q	WSFlex16	PS11, PS14	Waterproof (A)	-	CP918A
<b>T414</b>	413Q	WSFlex16	PS11, PS14	Waterproof (A)	-	CP918A
<b>T461</b>	438Q, 431Q	WSFlex18C	PS11, PS14	-	1727 siawat	CP918C
<b>ALL PURPOSE/WOOD</b>						
<b>A211</b>	230U, 240N, 346U	-	-	-	-	KP31C
<b>A212</b>	210N	HFB	PL31	-	-	-
<b>A213</b>	230N	HFB	PL31	-	-	KP31B
<b>A511</b>	110N	-	-	-	1400 sianor	-
<b>A513</b>	130N	GCAB	-	-	-	-
<b>A514</b>	140N	GCAB	-	-	-	-
<b>HEAVYWEIGHT PAPER</b>						
<b>H875</b>	750U, 751U, 740I, 745I	-	-	Royal Coarse Cut	-	KP510E, KP709

Aluminum Oxide All-Purpose Sanding and Garnet Wood Sanding 9 x 11 Paper Sheets

AVAILABILITY  
9 X 11  
PAPER SHEETS

		GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	GOOD	
		Norton	Norton	Norton	Norton	Norton	Norton	Norton	
		A211	A213	A212	A211/A213/A212 MULTISAND	A514/A513	A511	A514/A513/A511 WOODSAND	
		Aluminum Oxide	Aluminum Oxide	Aluminum Oxide	Aluminum Oxide	Garnet	Garnet	Garnet	
		D-Weight	C-Weight	A-Weight	D-, C- & A-Weight	D- & C-Weight	A-Weight	D-, C- & A-Weight	
		P-Graded	P-Graded	P-Graded	P-Graded				
SIZE	GRIT	MIN./STD. PKG.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	
9 x 11	36	25/125	66261100335			07660700361*			
	40		66261100330						
	50	50/250	66261100325			07660700360*	66261101565		
	60		66261100320			07660701624*	66261101560		
	80		66261100315			07660700359*	66261101555	66261101505	
								07660701584	
	100	100/500		66261100295		07660700358*	66261101535	66261101500	07660701583
	120			66261100290		07660700357*	66261101530	66261101495	07660701582
	150			66261100285		07660700356*	66261101525	66261101490	07660701581
	180				66261100245	07660700355*		66261101489	07660701580
	220				66261100240	07660700354*		66261101488	07660701579
	240							66261101487	
	280							66261101486	
	Asst*						07660700365*		

\* PACKAGING STANDARDS: JOB PACKS: 25 SHEETS PER PACK / 10 PACKS PER STANDARD PACKAGE FOR A TOTAL OF 250 SHEETS  
 • ASSORTED CONTAINS 6 EACH OF 60, 100, 150 GRIT AND 7 EACH OF 220 GRIT



## Stearated (Non-Loading) Aluminum Oxide and Silicon Carbide 9 x 11 Sheets

### FEATURED PRODUCTS



#### NO-FIL ADALOX A275

THE BEST CHOICE FOR SANDING PAINTED SURFACES, COMPOSITES, PLASTICS OR ANY MATERIAL THAT TENDS TO LOAD

##### FEATURES

- Premium P-graded, heat-treated aluminum oxide abrasive
- Unique fiber-reinforced, B-wt latex-saturated backing
- Water-based stearate, non-pigmented, No-Fil coating
- Full resin adhesive bond

##### BENEFITS

- Superior life, fast cut rate, consistent finish
- 50-60% improvement in tear strength
- Exceptional flexibility, can be folded without cracking
- Provides maximum load resistance and extended life; no color transfer to work
- Provides exceptional resistance to abrasive grain shedding especially when folding to sand into corners; long life



#### NO-FIL DURITE A475

THE BETTER CHOICE FOR GEL COATS, HARD COMPOSITE SUBSTRATES, ABRASION-RESISTANT COATINGS, AND WOODWORKING APPLICATIONS

##### FEATURES

- P-graded, silicon carbide abrasive
- Water-based stearate, non-pigmented, No-Fil coating
- Fiber-reinforced, latex paper backing

##### BENEFITS

- Easy penetration of the hardest surfaces
- Resists loading for longest usable product life, no color transfer to work
- Provides flexibility and resistance to tearing

### AVAILABILITY 9 X 11 PAPER SHEETS


			BEST	BEST	BETTER	GOOD				
TIER:			Norton							
BRAND:			Norton							
TRADENAME:			<b>A275 NO-FIL</b>	<b>A259 (3X) NO-FIL</b>	<b>A475 NO-FIL</b>	<b>A251 NO-FIL</b>				
ABRASIVE:			Aluminum Oxide	Aluminum Oxide	Silicon Carbide	Aluminum Oxide				
BACKING WEIGHT:			B-Weight	B-Weight	B-Weight	A-Weight				
OTHER:			P-Graded	P-Graded	P-Graded	P-Graded				
SIZE	GRIT	MIN./STD. PKG.	PART NO.	PART NO.	PART NO.	PART NO.				
9 x 11	60	50/250	66261131634	07660702642*	66254487393	66261184107				
			66261131634	07660702641*						
	100	100/500	66261131633	07660702640*			66254487394	66261184106		
			66261131632	07660702639*			66254487395	66261184105		
			66261131631	07660702638*			66254487396	66261184108		
			66261131630	07660702637*			66254487397	66261184104		
			66261131629	07660702636*			66254487398	66261184103		
			66261131628				66254487399	66261184102		
			66261131627							
			66261131626	07660702633*			66254487400	66261184100		
			66261131624	07660702632*						
			66261131623							
			66261131622							
			66261131621							
			1000	100/500			66261131620			
			1200				66261131619			
1500	66261131618									

\* PACKAGING STANDARDS: A259 (3X) JOB PACKS: 20 SHEETS PER PACK / 10 PACKS PER STANDARD PACKAGE FOR A TOTAL OF 200 SHEETS



## Waterproof Aluminum Oxide and Silicon Carbide 9 x 11 Sheets

### FEATURED PRODUCTS




#### BLACK ICE T214 AND T401 WATERPROOF BEST CHOICE FOR ALL WET APPLICATIONS

FEATURES	BENEFITS
• T214: Premium, P-graded, heat-treated aluminum oxide abrasive	• Ultimate cut and life in wet applications
• T401: Premium, ultra fine (1000 – 2500 JIS graded) silicon carbide abrasive	• Ultimate finish in wet applications
• Improved resin bond system	• Long life in wet applications
• High-strength B-wt, high-latex, waterproof paper backing	• Ultimate flexibility, with wet-curl resistance • Environmentally stable, resists humidity-caused curling

AVAILABILITY  
9 X 11  
PAPER SHEETS

TIER:	BEST	BEST	BETTER	GOOD
BRAND:	Norton	Norton	Norton	Norton
TRADENAME:	T214	T401	T414	T461
ABRASIVE:	Aluminum Oxide	Silicon Carbide	Silicon Carbide	Silicon Carbide
BACKING WEIGHT:	B-Weight	B-Weight	B-Weight	C-Weight
OTHER:	P-Graded	JIS Graded	CAMI Graded	CAMI Graded

SIZE	GRIT	MIN./STD. PKG.	PART NO.	PART NO.	PART NO.	PART NO.	
9 x 11	60	50/250				66261101175	
	80					66261101170	
	100					66261101165	
	120					66261101160	
	150					66261101155	
	180					66261101150	
	220			66261139389		66261139367	
	240			66261139388		66261139366	66261130331
	280			66261139387		66261139365	
	320			66261139386		66261139364	66261130332
	360			66261139346		66261139363	
	400			66261139385		66261139362	66261130333
	500			66261139384		66261139361	
	600			66261139383		66261139360	66261130334
	800			66261139382			
	1000	50/250		66261139381			
	1200			66261139380			
	1500			66261139379			
	2000			66261139378			
	2500			66261139377			



### Waterproof Sanding Blocks – with “grabbing” power

#### Dual Density Wet Sanding Block

- No adhesive required: simply wrap a 5-1/2" x 9" (9" x 11" cut in half) sheet around the block
- The dense side is for more aggressive blocking, while the soft side is for color sanding
- Equalizes sanding pressure for fine grit applications

#### Holey Block


- No adhesive required: simply wrap a 5-1/2" x 9" (9" x 11" cut in half) sheet around the block
- A rugged, semi-rigid, multi-purpose sanding block engineered for flat to medium curved surfaces
- A tactical hole pattern side provides numerous cutting edges to create a 30% faster cut rate
- The plain side provides firmness and a comfortable, easy-to-hold surface

DESCRIPTION	STD. PKG.	PART NO.
Wet Sanding Block	12	63642503728
Holey Block	8	63642503729



File Strips / Hand Sanding Cut Sheets / Rolls

FEATURED PRODUCTS



**NORZON H875**

EXCELLENCE FOR SOFT MATERIAL APPLICATIONS

**FEATURES**

- Patented NorZon zirconia abrasive
- Strong E-weight paper, latex impregnated
- Open coat design

**BENEFITS**

- Extended life over original NorZon products
- Increased durability and chip resistance, flexible
- Reduced loading; ideal for body filler, fiberglass and composite sanding

AVAILABILITY  
PAPER FILE  
STRIPS

<b>BEST</b>	<b>BEST</b>	<b>BEST</b>	<b>BEST</b>	<b>GOOD</b>	<b>BETTER</b>	<b>BETTER</b>	<b>BETTER</b>
BRAND: Norton	BRAND: Norton	BRAND: Norton	BRAND: Norton	BRAND: Norton	BRAND: Norton	BRAND: Norton	BRAND: Norton
TRADENAME: <b>A275 NO-FIL</b>	TRADENAME: <b>A275 NO-FIL</b>	TRADENAME: <b>A275 NO-FIL</b>	TRADENAME: <b>A275 NO-FIL</b>	TRADENAME: <b>H290</b>	TRADENAME: <b>H875</b>	TRADENAME: <b>H875</b>	TRADENAME: <b>H875</b>
ABRASIVE: A/O	ABRASIVE: A/O	ABRASIVE: A/O	ABRASIVE: A/O	ABRASIVE: A/O	ABRASIVE: Z/A	ABRASIVE: Z/A	ABRASIVE: Z/A
BACKING WEIGHT: B-Wt.	BACKING WEIGHT: B-Wt.	BACKING WEIGHT: B-Wt.	BACKING WEIGHT: B-Wt.	BACKING WEIGHT: E-Wt.	BACKING WEIGHT: E-Wt.	BACKING WEIGHT: E-Wt.	BACKING WEIGHT: E-Wt.
BACKING ATTACHMENT: Non-PSA	BACKING ATTACHMENT: PSA	BACKING ATTACHMENT: Hook/Loop	BACKING ATTACHMENT: Hook/Loop Vac	BACKING ATTACHMENT: PSA	BACKING ATTACHMENT: Non-PSA	BACKING ATTACHMENT: PSA	BACKING ATTACHMENT: Hook/Loop
OTHER: P-Graded	OTHER: P-Graded	OTHER: P-Graded	OTHER: P-Graded	OTHER: P-Graded			

SIZE	GRIT	MIN./STD. PKG.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	MIN./STD. PKG.	PART NO.	PART NO.	MIN./STD. PKG.	PART NO.
2-3/4 x 16	100 120 180	50/500				66261131657 66261131656 66261131654						
2-3/4 x 16-1/2	36 40 80 100 120 150 180 220	50/500		66261131640 66261131639 66261131637 66261131636	66261131646 66261131645 66261131644 66261131643 66261131642 66261131641		66261130840	50/250		66261123610 66261123609 66261123608	25/125	66261123616 66261123615 66261123614
2-3/4 x 17-1/2	36 40 80 100 120 150 180 220	50/500	66261131652 66261131651 66261131650 66261131649 66261131648 66261131647					50/250	66261123622 66261123621 66261123620 66261126512  66261126511			



VACUUM HOLE PATTERN FOR 2-3/4 X 16 FILE STRIPS

**Sanding Boards**



**PSA/Non-PSA Sanding Board**

- This sanding board has a cushioned surface
- Spring clips mounted at each end securely hold 2-3/4" x 16-1/2" PSA file strips and 2-3/4" x 17-1/2" non-PSA file strips



**Hook and Loop and Non-PSA Sanding Board**

- Lightweight, rugged design for easy sanding of plastic fillers
- Spring clips mounted at each end securely hold 2-3/4" x 16-1/2" hook and loop file strips and 2-3/4" x 17-1/2" non-PSA file strips

DESCRIPTION	STD. PKG.	PART NO.
Hook & Loop File Strip Sanding Board	5	63642552836
PSA File Strip Sanding Board	6	63642542724



AVAILABILITY  
PAPER CUT SHEETS



TIER:	BETTER	GOOD	GOOD	GOOD
BRAND:	Norton	Norton	Norton	Norton
TRADENAME:	<b>T414</b>	<b>A290 NO-FIL</b>	<b>A211</b>	<b>A213</b>
ABRASIVE:	Silicon Carbide	Aluminum Oxide	Aluminum Oxide	Aluminum Oxide
BACKING WEIGHT:	B-Wt.	C-Wt.	D-Wt.	C-Wt.
OTHER:	Waterproof	P-Graded	P-Graded	P-Graded



**Rubber Hand Sanding Blocks**

- Resilient rubber blocks that conform well to mild contours and flat surfaces

DESCRIPTION	STD. PKG.	PART NO.
2-3/4 x 5	5	07660701889
3-2/3 x 9	14	07660743140

SIZE	GRIT	MIN./STD. PKG.	PART NO.	PART NO.	PART NO.	PART NO.					
3-2/3 x 9	60	100/1000	66261139359	66261102925	66261102920	66261102900					
	80										
	100										
	120										
	150										
	180										
	220										
	280										
	320										
	400										
	600										
	60						66261139357	66261101119	66261101125	66261101124	66261101123
	80						66261139356	66261101123	66261101123	66261101123	66261101123
	100						66261139354	66261101123	66261101123	66261101123	66261101123
120	66261139352	66261101123	66261101123	66261101123	66261101123						

AVAILABILITY  
PSA PAPER ROLLS



TIER:	BEST	BEST	BEST	BEST	BEST	BEST	BEST	GOOD	GOOD
BRAND:	Norton	Norton	Norton	Norton	Norton	Norton	Norton	Norton	Norton
TRADENAME:	<b>A975 NO-FIL</b>	<b>A975 NO-FIL</b>	<b>A975 NO-FIL</b>	<b>A275 NO-FIL</b>	<b>A275 NO-FIL</b>	<b>A275 NO-FIL</b>	<b>A275 NO-FIL</b>	<b>A290 NO-FIL</b>	<b>A290 NO-FIL</b>
ABRASIVE:	C/A	C/A	C/A	A/O	A/O	A/O	A/O	A/O	A/O
BACKING WEIGHT:	C-Wt.	C-Wt.	B-Wt.	B-Wt.	B-Wt.	B-Wt.	B-Wt.	C-Wt.	C-Wt.
OTHER:	P-Graded	P-Graded	P-Graded	P-Graded	P-Graded	P-Graded	P-Graded	P-Graded	P-Graded
SIZE:	2-3/4" x 25yd	2-3/4" x 30yd	2-3/4" x 45yd	2-3/4" x 25yd	2-3/4" x 30yd	2-3/4" x 45yd	4-1/2 x 10 yd	2-3/4" x 20yd	2-3/4" x 25yd

GRIT	MIN./STD. PKG.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.				
80	1/5	66261149566	66261149565	66261149564	66261131691	66261131690	66261131689	66261131697	66261160325				
100													
120													
150													
180													
220													
240													
320													
400													
600													
100										66261149562	66261131688	66261131694	66261160324
120										66261149561	66261131687	66261131693	66261160323
150										66261149562	66261131686	66261131692	66261160322
180										66261149558	66261131685	66261131683	66261160321
220	66261149557	66261131683	66261131681	66261160352									
240	66261149557	66261131679	66261131679	66261160351									
320	66261149557	66261131679	66261131679	66261160351									
400	66261149557	66261131679	66261131679	66261160351									
600	66261149557	66261131679	66261131679	66261160351									



**PSA Roll Accessories**

**PSA Roll Dispenser**

- Heavy-duty wire dispenser has a vinyl coating to protect the work surface
- Accommodates two 2-3/4" PSA rolls; stackable for multi-grit operations. Attach to wall or mount on cabinet



**PSA Sanding Blocks**

- Ergonomically-shaped flexible foam blocks used with 2-3/4" rolls, fit comfortably in your hand
- Firm block produces a true flat surface
- The soft block is designed for flat surfaces and contours

DESCRIPTION	STD. PKG.	PART NO.
PSA Roll Dispenser	1	63642542773

SIZE	DESCRIPTION	STD. PKG.	PART NO.
2-3/4 x 5	PSA – Soft	5	63642542090
2-3/4 x 5	PSA – Firm	5	63642542091
2-3/4 x 7-3/4	PSA – Firm	5	63642542094



## Rotolo Foam Sanding Pads

### FEATURED PRODUCTS



#### NORTON A275

THE BETTER CHOICE FOR FINE SANDING FLAT AND CURVED SURFACES


##### FEATURES

- A275 (premium P-graded, aluminum oxide grain with No-Fil coating) on Rotolo foam backing
- 4-1/2" wide x 82' long roll perforated every 5-1/2"
- Convenient dispensing box

##### BENEFITS

- Perfect for hand sanding without leaving finger marks
- Provides outstanding finish on wood, metal, and composites, and primers, sealers and top coats
- Fast cut and long life without loading
- Compatible with all coatings
- 50% – 60% improvement in tear strength
- Standard 1/4 sheet size for hand or machine sanding; 178 sheets per roll
- Protects A275 Rotolo foam from damage

### APPLICATION/GRIT RECOMMENDATION GUIDE



### AVAILABILITY

TIER:	BETTER
BRAND:	Norton
TRADENAME:	ROTOLO
ABRASIVE:	Aluminum Oxide

SIZE (W X L)	GRIT SIZE	STD. PKG.	PART NO.
4-1/2" x 82'	P120	2	6364255316
	P150	2	63642557584
	P180	2	63642557599
	P220	2	63642557600
	P240	2	63642557602
	P280	2	63642557604
	P320	2	63642557606
	P400	2	63642557608
	P500	2	63642557611
	P600	2	63642557612
	P800	2	63642557613
	P1000	2	63642557616

